

Certification Report

BSI-DSZ-CC-1121-2019

for

Swissbit TSE SMAERS Firmware

from

Swissbit Germany AG

BSI - Bundesamt für Sicherheit in der Informationstechnik, Postfach 20 03 63, D-53133 Bonn
Phone +49 (0)228 99 9582-0, Fax +49 (0)228 9582-5477, Infoline +49 (0)228 99 9582-111



Bundesamt
für Sicherheit in der
Informationstechnik

Deutsches IT-Sicherheitszertifikat

erteilt vom Bundesamt für Sicherheit in der Informationstechnik

BSI-DSZ-CC-1121-2019 (*)

Swissbit TSE SMAERS Firmware

from Swissbit Germany AG

PP Conformance: Security Module Application for Electronic Record-keeping Systems (SMAERS) Version 0.7.5, 6 March 2019, BSI-CC-PP-0105-2019

Functionality: PP conformant
Common Criteria Part 2 extended

Assurance: Common Criteria Part 3 extended
EAL 2



SOGIS
Recognition Agreement



The IT Product identified in this certificate has been evaluated at an approved evaluation facility using the Common Methodology for IT Security Evaluation (CEM), Version 3.1 extended by Scheme Interpretations for conformance to the Common Criteria for IT Security Evaluation (CC), Version 3.1. CC and CEM are also published as ISO/IEC 15408 and ISO/IEC 18045.

(*) This certificate applies only to the specific version and release of the product in its evaluated configuration and in conjunction with the complete Certification Report and Notification. For details on the validity see Certification Report part A chapter 5.

The evaluation has been conducted in accordance with the provisions of the certification scheme of the German Federal Office for Information Security (BSI) and the conclusions of the evaluation facility in the evaluation technical report are consistent with the evidence adduced.

This certificate is not an endorsement of the IT Product by the Federal Office for Information Security or any other organisation that recognises or gives effect to this certificate, and no warranty of the IT Product by the Federal Office for Information Security or any other organisation that recognises or gives effect to this certificate, is either expressed or implied.

Bonn, 19 December 2019

For the Federal Office for Information Security

Bernd Kowalski
Head of Division



Common Criteria
Recognition Arrangement



Bundesamt für Sicherheit in der Informationstechnik

Godesberger Allee 185-189 - D-53175 Bonn - Postfach 20 03 63 - D-53133 Bonn
Phone +49 (0)228 99 9582-0 - Fax +49 (0)228 9582-5477 - Infoline +49 (0)228 99 9582-111

This page is intentionally left blank.

Contents

A. Certification.....	6
1. Preliminary Remarks.....	6
2. Specifications of the Certification Procedure.....	6
3. Recognition Agreements.....	7
4. Performance of Evaluation and Certification.....	8
5. Validity of the Certification Result.....	8
6. Publication.....	9
B. Certification Results.....	10
1. Executive Summary.....	11
2. Identification of the TOE.....	12
3. Security Policy.....	13
4. Assumptions and Clarification of Scope.....	14
5. Architectural Information.....	14
6. Documentation.....	14
7. IT Product Testing.....	14
8. Evaluated Configuration.....	15
9. Results of the Evaluation.....	15
10. Obligations and Notes for the Usage of the TOE.....	17
11. Security Target.....	19
12. Regulation specific aspects (eIDAS, QES).....	19
13. Definitions.....	19
14. Bibliography.....	20
C. Excerpts from the Criteria.....	22
D. Annexes.....	22

A. Certification

1. Preliminary Remarks

Under the BSIG¹ Act, the Federal Office for Information Security (BSI) has the task of issuing certificates for information technology products.

Certification of a product is carried out on the instigation of the vendor or a distributor, hereinafter called the sponsor.

A part of the procedure is the technical examination (evaluation) of the product according to the security criteria published by the BSI or generally recognised security criteria.

The evaluation is normally carried out by an evaluation facility recognised by the BSI or by BSI itself.

The result of the certification procedure is the present Certification Report. This report contains among others the certificate (summarised assessment) and the detailed Certification Results.

The Certification Results contain the technical description of the security functionality of the certified product, the details of the evaluation (strength and weaknesses) and instructions for the user.

2. Specifications of the Certification Procedure

The certification body conducts the procedure according to the criteria laid down in the following:

- Act on the Federal Office for Information Security¹
- BSI Certification and Approval Ordinance²
- BSI Schedule of Costs
- Special decrees issued by the Bundesministerium des Innern (Federal Ministry of the Interior)
- DIN EN ISO/IEC 17065 standard
- BSI certification: Scheme documentation describing the certification process (CC-Produkte) [3]
- BSI certification: Scheme documentation on requirements for the Evaluation Facility, its approval and licencing process (CC-Stellen) [3]
- Common Criteria for IT Security Evaluation (CC), Version 3.1³ [1] also published as ISO/IEC 15408.

¹ Act on the Federal Office for Information Security (BSI-Gesetz - BSIG) of 14 August 2009, Bundesgesetzblatt I p. 2821

² Ordinance on the Procedure for Issuance of Security Certificates and approval by the Federal Office for Information Security (BSI-Zertifizierungs- und -Anerkennungsverordnung - BSIZertV) of 17 December 2014, Bundesgesetzblatt 2014, part I, no. 61, p. 2231

³ Proclamation of the Bundesministerium des Innern of 12 February 2007 in the Bundesanzeiger dated 23 February 2007, p. 3730

- Common Methodology for IT Security Evaluation (CEM), Version 3.1 [2] also published as ISO/IEC 18045
- BSI certification: Application Notes and Interpretation of the Scheme (AIS) [4]

3. Recognition Agreements

In order to avoid multiple certification of the same product in different countries a mutual recognition of IT security certificates - as far as such certificates are based on ITSEC or CC - under certain conditions was agreed.

3.1. European Recognition of CC – Certificates (SOGIS-MRA)

The SOGIS-Mutual Recognition Agreement (SOGIS-MRA) Version 3 became effective in April 2010. It defines the recognition of certificates for IT-Products at a basic recognition level and, in addition, at higher recognition levels for IT-Products related to certain SOGIS Technical Domains only.

The basic recognition level includes Common Criteria (CC) Evaluation Assurance Levels EAL 1 to EAL 4. For "Smartcards and similar devices" a SOGIS Technical Domain is in place. For "HW Devices with Security Boxes" a SOGIS Technical Domains is in place, too. In addition, certificates issued for Protection Profiles based on Common Criteria are part of the recognition agreement.

The current list of signatory nations and approved certification schemes, details on recognition, and the history of the agreement can be seen on the website at <https://www.sogis.eu>.

The SOGIS-MRA logo printed on the certificate indicates that it is recognised under the terms of this agreement by the related bodies of the signatory nations. A disclaimer beneath the logo indicates the specific scope of recognition.

This certificate is recognized under SOGIS-MRA for all assurance components selected.

3.2. International Recognition of CC – Certificates (CCRA)

The international arrangement on the mutual recognition of certificates based on the CC (Common Criteria Recognition Arrangement, CCRA-2014) has been ratified on 08 September 2014. It covers CC certificates based on collaborative Protection Profiles (cPP) (exact use), CC certificates based on assurance components up to and including EAL 2 or the assurance family Flaw Remediation (ALC_FLR) and CC certificates for Protection Profiles and for collaborative Protection Profiles (cPP).

The current list of signatory nations and approved certification schemes can be seen on the website: <https://www.commoncriteriaportal.org>.

The Common Criteria Recognition Arrangement logo printed on the certificate indicates that this certification is recognised under the terms of this agreement by the related bodies of the signatory nations. A disclaimer beneath the logo indicates the specific scope of recognition.

This certificate is recognized under CCRA-2014 for all assurance components selected.

4. Performance of Evaluation and Certification

The certification body monitors each individual evaluation to ensure a uniform procedure, a uniform interpretation of the criteria and uniform ratings.

The product Swissbit TSE SMAERS Firmware, has undergone the certification procedure at BSI.

The evaluation of the product Swissbit TSE SMAERS Firmware, was conducted by MTG AG. The evaluation was completed on 18 December 2019. MTG AG is an evaluation facility (ITSEF)⁴ recognised by the certification body of BSI.

For this certification procedure the sponsor and applicant is: Swissbit Germany AG.

The product was developed by: Swissbit Germany AG.

The certification is concluded with the comparability check and the production of this Certification Report. This work was completed by the BSI.

5. Validity of the Certification Result

This Certification Report applies only to the version of the product as indicated. The confirmed assurance package is valid on the condition that

- all stipulations regarding generation, configuration and operation, as given in the following report, are observed,
- the product is operated in the environment described, as specified in the following report and in the Security Target,
- product is operated in conjunction with the CSP of the evaluated configuration, see section B.8.

Please note, if the TOE based product is intended to be used as a TSE according to BSI TR-03151 and TR-03153 the following applies:

The operational instructions and limitations as outlined in 'Technische Richtlinie BSI TR-03116, Kryptographische Vorgaben für Projekte der Bundesregierung, Teil 5 - Anwendungen der Secure Element API' (TR-03116-5) have to be followed when issuing and using the product. This includes the restrictions related to cryptographic algorithms and related parameters. Cryptographic algorithms and related parameters not covered by the certificate (see Security Target and this certification report) must not be used. The latest published version of TR-03116-5 has to be followed (see <https://www.bsi.bund.de/>).

For the meaning of the assurance components and assurance levels please refer to CC itself. Detailed references are listed in part C of this report.

The Certificate issued confirms the assurance of the product claimed in the Security Target at the date of certification. As attack methods evolve over time, the resistance of the certified version of the product against new attack methods needs to be re-assessed. Therefore, the sponsor should apply for the certified product being monitored within the assurance continuity program of the BSI Certification Scheme (e.g. by a re-assessment or re-certification). Specifically, if results of the certification are used in subsequent evaluation and certification procedures, in a system integration process or if a user's risk

⁴ Information Technology Security Evaluation Facility

management needs regularly updated results, it is recommended to perform a re-assessment on a regular e.g. annual basis.

In order to avoid an indefinite usage of the certificate when evolved attack methods would require a re-assessment of the products resistance to state of the art attack methods, the maximum validity of the certificate has been limited. The certificate issued on 19 December 2019 is valid until 18 December 2027. Validity can be re-newed by re-certification.

The owner of the certificate is obliged:

1. when advertising the certificate or the fact of the product's certification, to refer to the Certification Report as well as to provide the Certification Report, the Security Target and user guidance documentation mentioned herein to any customer of the product for the application and usage of the certified product,
2. to inform the Certification Body at BSI immediately about vulnerabilities of the product that have been identified by the developer or any third party after issuance of the certificate,
3. to inform the Certification Body at BSI immediately in the case that security relevant changes in the evaluated life cycle, e.g. related to development and production sites or processes, occur, or the confidentiality of documentation and information related to the Target of Evaluation (TOE) or resulting from the evaluation and certification procedure where the certification of the product has assumed this confidentiality being maintained, is not given any longer. In particular, prior to the dissemination of confidential documentation and information related to the TOE or resulting from the evaluation and certification procedure that do not belong to the deliverables according to the Certification Report part B, or for those where no dissemination rules have been agreed on, to third parties, the Certification Body at BSI has to be informed.
4. to conduct a re-assessment after 5 years (i.e. the re-assessment must be finalized before 19 December 2024 in order to assess the robustness of the product against new state-of-the-art attack methods. This has to be done on the developer's own initiative and at his own expense. As evidence a report regarding a re-assessment or a re-certification according to the regulations of the BSI-certification-scheme shall be provided.
5. to provide updates for the product in consultation with the Certification Body at BSI if vulnerabilities have been identified that affect the security of the product. This includes vulnerabilities of security functions provided by the underlying CSP, which also might affect the security of the TOE under consideration in this certificate.

In case of changes to the certified version of the product, the validity can be extended to the new versions and releases, provided the sponsor applies for assurance continuity (i.e. re-certification or maintenance) of the modified product, in accordance with the procedural requirements, and the evaluation does not reveal any security deficiencies.

6. Publication

The product Swissbit TSE SMAERS Firmware, has been included in the BSI list of certified products, which is published regularly (see also Internet: <https://www.bsi.bund.de> and [5]). Further information can be obtained from BSI-Infoline +49 228 9582-111.

Further copies of this Certification Report can be requested from the developer⁵ of the product. The Certification Report may also be obtained in electronic form at the internet address stated above.

B. Certification Results

The following results represent a summary of

- the Security Target of the sponsor for the Target of Evaluation,
- the relevant evaluation results from the evaluation facility, and
- complementary notes and stipulations of the certification body.

⁵ Swissbit Germany AG
Leuchtenberggring 3
81667 München

1. Executive Summary

The Target of Evaluation (TOE) is an SMAERS Firmware with a small additional part of Hardware. The TOE exists in three different physical configurations (micro SD, SD or USB-Token). Their differences are solely based on the physical form factor and a different controller.

The Security Target [6] is the basis for this certification. It is based on the certified Protection Profile Security Module Application for Electronic Record-keeping Systems (SMAERS) Version 0.7.5, 6 March 2019, BSI-CC-PP-0105-2019 [8].

The TOE Security Assurance Requirements (SAR) are based entirely on the assurance components defined in Part 3 of the Common Criteria (see part C or [1], Part 3 for details). The TOE meets the assurance requirements of the Evaluation Assurance Level EAL 2.

The TOE Security Functional Requirements (SFR) relevant for the TOE are outlined in the Security Target [6], chapter 6.

The TOE Security Functional Requirements are implemented by the following TOE Security Functionality:

TOE Security Functionality	Addressed issue
SF.Log	After successful boot and self test, the TOE allows the host / ERS to provide transaction data via commands, which the TOE uses to create Transaction logs, being signed by the CSP. The corresponding signed logs are returned to the host and stored within the Flash. To do so, the TOE manages a transaction counter and keeps track, which transactions are open.
SF.Crypto	The TOE implements cryptographic operations to establish a PACE channel with the CSP and a random number generator, being required for PACE. In addition, the TOE encrypts certain data.
SF.Management	Based on the (physical) architecture, only the TOE is able to directly communicate with the CSP. Therefore, the TOE implements a method to receive external time stamps and forwards them to the CSP, as described in [BSI-TR-03151]. To do so, the host system has to authenticate.
SF.Audit	The TOE fetches audit records from the CSP and stores them. In addition, it creates System log messages and also stores them in the flash memory as required. These logs can be exported in the same way as the Transaction logs or the filtered export can be used to export non-Transaction logs only.

Table 1: TOE Security Functionalities

For more details please refer to the Security Target [6], chapter 6.

The assets to be protected by the TOE are defined in the Security Target [6], chapter 3. Based on these assets the TOE Security Problem is defined in terms of Assumptions, Threats and Organisational Security Policies. This is outlined in the Security Target [6], chapter 3.

This certification covers the configurations of the TOE as outlined in chapter 8.

The vulnerability assessment results as stated within this certificate do not include a rating for those cryptographic algorithms and their implementation suitable for encryption and decryption (see BSIG Section 9, Para. 4, Clause 2).

The certification results only apply to the version of the product indicated in the certificate and on the condition that all the stipulations are kept as detailed in this Certification Report. This certificate is not an endorsement of the IT product by the Federal Office for Information Security (BSI) or any other organisation that recognises or gives effect to this certificate, and no warranty of the IT product by BSI or any other organisation that recognises or gives effect to this certificate, is either expressed or implied.

2. Identification of the TOE

The Target of Evaluation (TOE) is called:

Swissbit TSE SMAERS Firmware.

The following table outlines the TOE deliverables:

No	Type	Identifier	Release	Form of Delivery
1	HW/ SW	Swissbit TSE SMAERS Firmware USB	HW 1.0.4 SW 1.0.3	<ul style="list-style-type: none"> • TSE containing the TOE is packed on trays. • Trays are packed into standard paper or carton boxes. • Boxes are wrapped with parcels. • Parcels are delivered by logistics partners of Swissbit to customers
2	HW/ SW	Swissbit TSE SMAERS Firmware SD	HW 1.0.4 SW 1.0.3	<ul style="list-style-type: none"> • TSE containing the TOE is packed on trays. • Trays are packed into standard paper or carton boxes. • Boxes are wrapped with parcels. • Parcels are delivered by logistics partners of Swissbit to customers

No	Type	Identifier	Release	Form of Delivery
3	HW/ SW	Swissbit TSE SMAERS Firmware micro SD	HW 1.0.4 SW 1.0.3	<ul style="list-style-type: none"> • TSE containing the TOE is packed on trays. • Trays are packed into standard paper or carton boxes. • Boxes are wrapped with parcels. • Parcels are delivered by logistics partners of Swissbit to customers
4	DOC	Swissbit TSE - Guidance Manual	1.3.3	delivered electronically
5	DOC	swissbit TSE - Functional Specification	1.2.11	delivered electronically
6	DOC	swissbit TSE - Verpackungsprüfanweisung	1.1.0	delivered electronically
7	DOC	Swissbit TSE Data Sheets [DataSheet-SD], [DataSheet-MicroSD], and [DataSheet-USB]	1.0.0, 1.0.0 and 1.0.0	delivered electronically
8	DOC	revocation passwords for certificate revocation	--	delivered electronically
9	DOC	optional: host library for TSE communication	--	Not Part of the TOE

Table 2: Deliverables of the TOE

Note that the Swissbit TSE Data Sheet exists for each configuration of the TOE. The documents Swissbit TSE SMAERS Firmware - Guidance Manual, swissbit TSE - Functional Specification (ADV_FSP), swissbit TSE - Verpackungsprüfanweisung and Swissbit TSE Data Sheets will be delivered electronically to customer, each time these get Swissbit TSEs delivered. This electronic delivery also contains the revocation passwords.

In addition, the host library is an optional component, which is not certified. It eases the communication with the TSE and therefore the TOE by wrapping the TOE's interface to an API. The library can be obtained from Swissbit.

3. Security Policy

The Security Policy is expressed by the set of Security Functional Requirements and implemented by the TOE. It covers the following issues:

- Protection of transaction data of Electronic Record Keeping Systems
- Role-based access control policy to control administrative access to the TOE
- Usage of a certified cryptographic service provider (CSP) for the signing of Log-Messages
- Implementation of cryptographic operations to establish a PACE channel with the CSP

Specific details concerning the above mentioned security policies can be found in Chapter 6 and 7 of the Security Target (ST) [6].

4. Assumptions and Clarification of Scope

The Assumptions defined in the Security Target and some aspects of Threats and Organisational Security Policies are not covered by the TOE itself. These aspects lead to specific security objectives to be fulfilled by the TOE-Environment. The following topics are of relevance: OE.ERS: Trustworthy electronic record-keeping system, OE.CSP: Cryptographic service provider component, OE.SecOEnv: Secure operational environment and OE.SUCP: Signed Update Code Packages.

Details can be found in the Security Target [6], chapter 4.2.

5. Architectural Information

The TOE must use the CSP: TCOS CSP 2.0 Release1/P60D145 with the CID: 04 30 xx xx xx xx xx xx 14 01 BE 22 01 00 00 00. (The x are not a relevant part of the CID for this certification.)

Detailed information in the TOE architecture is to be found in [6] section 1.

6. Documentation

The evaluated documentation as outlined in table 2 is being provided with the product to the customer. This documentation contains the required information for secure usage of the TOE in accordance with the Security Target.

Additional obligations and notes for secure usage of the TOE as outlined in chapter 10 of this report have to be followed.

7. IT Product Testing

During the ATE related actions, the developer as well as the ITSEF, respectively, conducted tests which intend to satisfy the needs of the EAL 2 assurance families ATE_COV.1, ATE_FUN.1 and ATE_IND.2.

- Regarding developer ATE tests:

The developer performed extensive tests to verify the claimed security functionality in the Security Target [6]. For each command specified in the developer document [10], a dedicated test suite has been implemented to test the TOE's behaviour under a variety of different input conditions. By that, the testing approach intended a broad test coverage of all commands. Together with the developer provided mapping of SFRs to commands, evidence was gathered that the tests cover all the Security Functional Requirements of the Security Target [6].

- Regarding ITSEF ATE tests:

For independent testing the evaluators specified test cases with the intention to cover all SFRs from the ST. For that purpose, developer tests were included and re-done as independent tests, as well a variety of further tests were specified and executed. The definition of those tests was motivated by the evaluator's intention of being sure that all SFRs of the Security Target are covered.

The independent testing was performed in the evaluator lab. The overall test result is that no deviations were found between the expected and the actual test results.

Concerning the vulnerability analysis approach (AVA) the evaluators followed the requirements for the EAL 2 assurance component AVA_VAN.2, requiring the resistance of the TOE to an attacker with the Basic attack potential.

First the evaluators used publicly available sources to identify potential vulnerabilities in the TOE. In addition, the evaluators applied an “unstructured analysis” while evaluating the developer provided Common Criteria evidence documentation to identify potential vulnerabilities applicable to the TOE. The evaluators analysed which of the potential vulnerabilities identified in the steps above are not applicable to the TOE in its operational environment. For the potential vulnerabilities being applicable to the TOE in its operational environment and, hence, which were candidates for penetration testing the TOE in its operational environment, the evaluators devised the attack scenarios where these potential vulnerabilities could be exploited.

For each such attack scenario the evaluators first performed a theoretical analysis on the related attack potential. Where the attack potential was Basic, the evaluators conducted penetration tests for such attack scenarios. They analysed the results of these tests to determine, whether at least one of the attack scenarios with the attack potential Basic was successful.

The overall assessment and result was that that the TOE, when installed and configured and operated as described in the operational guidance documentation, fulfils the security functionality as claimed in the Security Target [6] and is resistant against the attack vectors considered.

8. Evaluated Configuration

This certification covers the following configurations of the TOE:

Not part of the TOE but part of operational environment are:

- The CSP identified by CID: 04 30 xx xx xx xx xx xx 14 01 BE 22 01 00 00 00 (TCOS)

Although they are delivered together with the TOE, they are excluded from the TOE and are considered part of the IT-environment.

9. Results of the Evaluation

9.1. CC specific results

The Evaluation Technical Report (ETR) [7] was provided by the ITSEF according to the Common Criteria [1], the Methodology [2], the requirements of the Scheme [3] and all interpretations and guidelines of the Scheme (AIS) [4] as relevant for the TOE.

The Evaluation Methodology CEM [2] was used.

The following guidance specific for the technology was considered (while not being mandatory during the CC certification)

- (i) *TR_03151 Technical Guideline BSI TR-03151 Secure Element API (SE API), BSI, Version 1.0.1, 20. December 2018*

- (ii) *TR_03153 Technische Richtlinie BSI TR-03153 Technische Sicherheitseinrichtung für elektronische Aufzeichnungssysteme, BSI, Version 1.0.1, 20. Dezember 2018*
- (iii) *TR_03116_5 Technische Richtlinie BSI TR-03116 Kryptographische Vorgaben für Projekte der Bundesregierung, Teil 5: Anwendungen der Secure Element API, BSI, Stand 2019, 01. Februar 2019*

The assurance refinements outlined in the Security Target were followed in the course of the evaluation of the TOE.

As a result of the evaluation the verdict PASS is confirmed for the following assurance components:

- All components of the EAL 2 package including the class ASE as defined in the CC (see also part C of this report)

The evaluation has confirmed:

- PP Conformance: Security Module Application for Electronic Record-keeping Systems (SMAERS) Version 0.7.5, 6 March 2019, BSI-CC-PP-0105-2019 [8]
- for the Functionality: PP conformant
Common Criteria Part 2 extended
- for the Assurance: Common Criteria Part 3 conformant
EAL 2

For specific evaluation results regarding the development and production environment see annex B in part D of this report.

The results of the evaluation are only applicable to the TOE as defined in chapter 2 and the configuration as outlined in chapter 8 above.

9.2. Results of cryptographic assessment

The strength of the cryptographic algorithms was not rated in the course of this certification procedure (see BSIG Section 9, Para. 4, Clause 2). But cryptographic functionalities with a security level of lower than 100 bits can no longer be regarded as secure without considering the application context. Therefore, for these functionalities it shall be checked whether the related crypto operations are appropriate for the intended system. Some further hints and guidelines can be derived from the 'Technische Richtlinie BSI TR-02102' (<https://www.bsi.bund.de>).

The following table gives an overview of the cryptographic functionalities inside the TOE to enforce the security policy and outlines its rating from cryptographic point of view. Any Cryptographic Functionality that is marked in column '*Security Level above 100 Bits*' of the following table with '*no*' achieves a security level of lower than 100 Bits (in general context) only.

No.	Purpose	Cryptographic Mechanism	Standard of Implementation	Key Size in Bits	Security Level above 100 Bits	Standard of Application
1	Encryption / decryption of UCP	AES-CBC	FIPS 197 [16]	256	Yes	None
2	Cipherbased message authentication code for	CMAC-AES	FIPS 197 [16],	256	No	None

No.	Purpose	Cryptographic Mechanism	Standard of Implementation	Key Size in Bits	Security Level above 100 Bits	Standard of Application
	providing the integrity of the Trusted Channel to the CSP		NIST SP 800-38B [18]			
3	hash based deterministic random number generation for AES key generation and in PACE key establishment	HASH-DRBG with SHA2-256	NIST 800-90A Revision 1 [17]	None	N/A	BSI TR3116-5
4	Cryptographic hashing for partial hash of data to be signed by CSP & hash function for the DRBG	SHA2-256 SHA2-384	FIPS 180-4 [19]	None	N/A	BSI TR3116-5
5	PACE for key establishment for Trusted Channel	PACE with brainpoolP256r1 and Generic Mapping in PCD role	ICAO, Doc 9303, Part 11 [20]	256	N/A	BSI TR3153 PP-105

Table 3: TOE cryptographic functionality

10. Obligations and Notes for the Usage of the TOE

The documents and deliverables as outlined in table 2 contain necessary information about the usage of the TOE and all security hints therein have to be considered. In addition all aspects of Assumptions, Threats and OSPs as outlined in the Security Target not covered by the TOE itself need to be fulfilled by the operational environment of the TOE.

As the TOE relies of security functionality provided by the underlying CSP, it must be operated in conjunction with the CSP of the evaluated configuration. For details concerning the CSP and its certification refer to the certification procedure BSI-DSZ-CC-1118.

In regard of the further operational environment, it is to be noted that the certification and evaluation were conducted under the condition, that the objective for the operational environment "OE.SecOEnv: Secure operational environment" (Security Target [6]) is upheld. In detail, the objective states:

OE.SecOEnv: Secure operational environment :

The operational environment shall protect the electronic record-keeping system and the certified technical security system including the TOE against manipulation, perturbation and misuse. It protects the integrity of the communication between the electronic record-keeping system and the TOE.

The customer or user of the product shall consider the results of the certification within his own system risk management process. In order for the evolution of attack methods and techniques to be covered, they should define the period of time until a re-assessment of the TOE is required (and thus requested from the sponsor of the certificate).

The limited validity for the usage of cryptographic algorithms as outlined in chapter 9 has to be considered by the user and his system risk management process as well.

Also note that the UCP (Update Code Package) mechanism itself is certified according to this certificate's evaluation assurance level and the respective Security Target's Security Functional Requirements. However, installation and usage of other TOE configuration items than specified in the Security Target ([6]) (and thus evaluated during the course of this certification) will, void the certification status. Recertifications are required in order to maintain a valid certification status in cases where such TOE changes are to be applied. As a consequence, only certified updates of the TOE should be used via a respective UCP deployment procedure. If non-certified Update Code Packages are available, TOE user discretion is advised on whether the sponsor should provide a re-certification. In the meantime a risk management process of the system using the TOE should investigate and decide on the usage of not yet certified updates and patches or take additional measures in order to maintain system security.

Regarding Public Key Infrastructure (PKI) it is to be noted, that neither the Protection Profile [8] nor the Security Target ([6]) address (security-assurance- or security-functional) requirements concerning a PKI. Therefore, no PKI aspects were CC evaluated by the ITSEF in the course of the underlying CC evaluation. Hence the CC certification scope does not cover the Public Key Infrastructure. However, the developer Swissbit Germany AG provided a (confidential) PKI concept document [15], outlining relevant PKI structures, definitions and processes. The document was considered by a dedicated BSI Section and deemed suitable.

The TOE includes guidance documentation (see table 2) which contains obligations and guidelines for the user and/or developer of the product layer on top on how to securely use this certified TOE and which measures have to be taken in order to fulfil the overall security requirements of the Security Target of the TOE.

If the TOE is subject to an evaluation in a composite product or system, it must be examined if the required measures have been correctly and effectively implemented by the product layer on top.

At the point in time when evaluation and certification results are reused, there might be an updated documentation available. Therefore, the certified products list on the BSI website has to be checked for latest information on reassessments, recertifications or maintenance result available for the product.

In addition, the following aspects need to be fulfilled when using the TOE:

- Usage of the TCOS CSP with the CID: 04 30 xx xx xx xx xx xx 14 01 BE 22 01 00 00 00.

11. Security Target

For the purpose of publishing, the Security Target [6] of the Target of Evaluation (TOE) is provided within a separate document as Annex A of this report.

12. Regulation specific aspects (eIDAS, QES)

None

13. Definitions

13.1. Acronyms

AIS	Application Notes and Interpretations of the Scheme
BSI	Bundesamt für Sicherheit in der Informationstechnik / Federal Office for Information Security, Bonn, Germany
BSIG	BSI-Gesetz / Act on the Federal Office for Information Security
CCRA	Common Criteria Recognition Arrangement
CC	Common Criteria for IT Security Evaluation
CEM	Common Methodology for Information Technology Security Evaluation
cPP	Collaborative Protection Profile
EAL	Evaluation Assurance Level
ETR	Evaluation Technical Report
IT	Information Technology
ITSEF	Information Technology Security Evaluation Facility
PP	Protection Profile
SAR	Security Assurance Requirement
SFP	Security Function Policy
SFR	Security Functional Requirement
ST	Security Target
TOE	Target of Evaluation
TSE	Technische Sicherheitseinrichtung
TSF	TOE Security Functionality

13.2. Glossary

Augmentation - The addition of one or more requirement(s) to a package.

Collaborative Protection Profile - A Protection Profile collaboratively developed by an International Technical Community endorsed by the Management Committee.

Extension - The addition to an ST or PP of functional requirements not contained in CC part 2 and/or assurance requirements not contained in CC part 3.

Formal - Expressed in a restricted syntax language with defined semantics based on well-established mathematical concepts.

Informal - Expressed in natural language.

Object - A passive entity in the TOE, that contains or receives information, and upon which subjects perform operations.

Package - named set of either security functional or security assurance requirements

Protection Profile - A formal document defined in CC, expressing an implementation independent set of security requirements for a category of IT Products that meet specific consumer needs.

Security Target - An implementation-dependent statement of security needs for a specific identified TOE.

Semiformal - Expressed in a restricted syntax language with defined semantics.

Subject - An active entity in the TOE that performs operations on objects.

Target of Evaluation - An IT Product and its associated administrator and user guidance documentation that is the subject of an Evaluation.

TOE Security Functionality - Combined functionality of all hardware, software, and firmware of a TOE that must be relied upon for the correct enforcement of the SFRs.

14. Bibliography

- [1] Common Criteria for Information Technology Security Evaluation, Version 3.1, Part 1: Introduction and general model, Revision 5, April 2017
Part 2: Security functional components, Revision 5, April 2017
Part 3: Security assurance components, Revision 5, April 2017
<https://www.commoncriteriaportal.org>
- [2] Common Methodology for Information Technology Security Evaluation (CEM), Evaluation Methodology, Version 3.1, Rev. 5, April 2017,
<https://www.commoncriteriaportal.org>
- [3] BSI certification: Scheme documentation describing the certification process (CC-Produkte) and Scheme documentation on requirements for the Evaluation Facility, approval and licencing (CC-Stellen), <https://www.bsi.bund.de/zertifizierung>
- [4] Application Notes and Interpretations of the Scheme (AIS) as relevant for the TOE⁶
<https://www.bsi.bund.de/AIS>

⁶specifically

- AIS 14: Anforderungen an Aufbau und Inhalt der ETR-Teile (Evaluation Technical Report) für Evaluationen nach CC (Common Criteria), Version 7, 03.08.2010
- AIS 19: Anforderungen an Aufbau und Inhalt der Zusammenfassung des ETR (Evaluation Technical Report) für Evaluationen nach CC (Common Criteria) und ITSEC, Version 9, 19.10.2010
- AIS 20: Funktionalitätsklassen und Evaluationsmethodologie für deterministische Zufallszahlengeneratoren, Version 3, 15.05.2013
- AIS 23: Zusammentragen von Nachweisen der Entwickler, Version 4, 15.03.2017
- AIS 32: CC-Interpretationen im deutschen Zertifizierungsschema, Version 0.7, 08.06.2011
- AIS 46: Informationen zur Evaluierung von kryptographischen Algorithmen und ergänzende Hinweise für die Evaluierung von Zufallszahlengeneratoren, Version 3, 04.12.2013

- [5] German IT Security Certificates (BSI 7148), periodically updated list published also on the BSI Website, <https://www.bsi.bund.de/zertifizierungsberichte>
- [6] Security Target BSI-DSZ-CC-1121-2019, Version 1.8.4, 2019-12-13, "Swissbit TSE SMAERS Firmware", Swissbit AG
- [7] Evaluation Technical Report, Version 1.1, 2019-12-18, "Evaluation Technical Report ETR Part Summary", MTG AG, (confidential document)
- [8] Protection Profile „Security Module Application for Electronic Record-keeping Systems (SMAERS) Version 0.7.5, 6 March 2019, BSI-CC-PP-0105-2019“
- [9] "Evaluation Methodology for Protection Profiles Security Elements with Application Separation", v0.1.3, 21.12.2017, Bundesamt für Sicherheit in der Informationstechnik
- [10] "Functional Specification Swissbit TSE SMAERS Firmware", Version 1.2.11, 2019-12-10, Swissbit AG
- [11] "Swissbit TSE - Guidance Manual, v 1.3.3, Swissbit AG"
- [12] "swissbit TSE - Functional Specification (ADV_FSP)", v1.2.11, Swissbit AG
- [13] "swissbit TSE – Verpackungsprüfanweisung", v1.1.0, Swissbit AG
- [14] Swissbit TSE Data Sheets:
 - 1) "Product Data Sheet Swissbit SD TSE", Version 1.0.0, Swissbit AG
 - 2) "Product Data Sheet Swissbit microSD TSE", Version 1.0.0, Swissbit AG
 - 3) "Product Data Sheet Swissbit USB TSE, Version 1.0.0", Swissbit AG
- [15] "ALC_PKI Swissbit TSE – PKI Concept", Version 1.6.3, 2019-11-26, Swissbit AG (confidential document)
- [16] [FIPS_197] ADVANCED ENCRYPTION STANDARD (AES), FIPS 197, November 2001
- [17] [NIST-800-90A] Recommendation for Random Number Generation Using Deterministic Random Bit Generators, NIST 800-90A Revision 1, <https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-90a.pdf>
- [18] [NIST2010] NIST Special Publication 800-38A Recommendation for Block Cipher Modes of Operation: Methods and Techniques, October 2010
- [19] [FIPS_180-4] Secure Hash Standard (SHS), FIPS 180-4, October 2015
- [20] [ICAO-Doc9303] Machine Readable Travel Documents , ICAO, Doc 9303,Part 11: Security Mechanisms for MRTDSs, Seventh Edition, 2015

C. Excerpts from the Criteria

For the meaning of the assurance components and levels the following references to the Common Criteria can be followed:

- On conformance claim definitions and descriptions refer to CC part 1 chapter 10.5
- On the concept of assurance classes, families and components refer to CC Part 3 chapter 7.1
- On the concept and definition of pre-defined assurance packages (EAL) refer to CC Part 3 chapters 7.2 and 8
- On the assurance class ASE for Security Target evaluation refer to CC Part 3 chapter 12
- On the detailed definitions of the assurance components for the TOE evaluation refer to CC Part 3 chapters 13 to 17
- The table in CC part 3 , Annex E summarizes the relationship between the evaluation assurance levels (EAL) and the assurance classes, families and components.

The CC are published at <https://www.commoncriteriaportal.org/cc/>

D. Annexes

List of annexes of this certification report

- Annex A: Security Target provided within a separate document.
- Annex B: Evaluation results regarding development and production environment

Annex B of Certification Report BSI-DSZ-CC-1121-2019

Evaluation results regarding development and production environment



The IT product Swissbit TSE SMAERS Firmware, (Target of Evaluation, TOE) has been evaluated at an approved evaluation facility using the Common Methodology for IT Security Evaluation (CEM), Version 3.1 extended by Scheme Interpretations for conformance to the Common Criteria for IT Security Evaluation (CC), Version 3.1.

As a result of the TOE certification, dated 19 December 2019, the following results regarding the development and production environment apply. The Common Criteria assurance requirements ALC – Life cycle support (i.e. ALC_CMC.2, ALC_CMS.2, ALC_DEL.1) for the Evaluations Assurance Level 2.

are fulfilled for the development and production sites of the TOE listed below:

- a) swissbit München (TOE development)
- b) Cleantek Business Park Berlin (Production and Delivery)

For the site listed above, the requirements have been specifically applied in accordance with the Security Target [6]. The evaluators verified, that the threats, security objectives and requirements for the TOE life cycle phases up to delivery (as stated in the Security Target [6]) are fulfilled by the procedures of these sites, where the reduce Assurance Scope of the EAL 2 package has to be taken into account.

Note: End of report