The IT product identified in this certificate has been on this certificate using Common Methodology for IT Security Evaluation, according to the version number described on this certificate, for conformance to the Common Criteria for IT Security Evaluation according to the version number described on this certificate. This certificate applies only to the specific version and release of the product in its evaluated configuration and in conjunction with the complete Certification report. The evaluation has been conducted in accordance with the provisions of The Norwegian Certification Authority for IT Security (SERTIT) and the conclusions of the evaluation technical report are consistent with the evidence adduced. Certification does not guarantee that the IT product is free from security vulnerabilities. This certificate only reflects the view of SERTIT at the time of certification. and prospective) to check whether any security vulnerabilities have been discovered since the date shown of this certificate. This certificate is not an endorsement of the IT product by SERTIT or by any other organization that recognizes or gives effect to this certificate, and no warranty of the IT product by SERTIT or by any other certificate, is either expressed or implied.

Certificate

Product Manufacturer: Shanghai Fudan Microelectronics Group Co., Ltd.

Product Name: FM1280 V05 Dual Interface Smart Card Chip with IC Dedicated Software

Type of Product: IC

Version and Release Numbers: V05

Assurance Package: EAL 4 augmented with AVA_VAN.5, ATE_DPT.2 and ALC_DVS.2

Evaluation Criteria: Common Criteria v. 3.1 R4

Name of IT Security Evaluation Facility: Brightsight B.V.

Norwegian Certification Authority for IT Security

Name of Certification Body: SERTIT

Certification Report Identifier: SERTIT-099 CR Issue 1.0, 9 February 2018

Certificate Identifier: SERTIT-099 C

Date Issued: 9 February 2018

Certifier

Arne Høye Rage

Quality Assurance



EAL 2 and ALC_FLR only.



CCRA recognition for components up

Head of SERTIT

SOGIS MRA recognition for components up to EAL 4.